

REMARKS

Reconsideration of the above identified application in view of the preceding amendments and following remarks is respectfully requested.

Claims 1-20 are pending in this application. By this Amendment, Applicants have amended Claims 1, 5 and 7. The claim amendments were made to more precisely define the invention in accordance with 35 U.S.C. 112, paragraph 2. These amendments have not been necessitated by the need to distinguish the present invention from any prior art. It is respectfully submitted that no new matter has been introduced by these amendments, as support therefor is found throughout the specification and drawings.

In the Office Action, it was indicated that two references were not considered because they were missing from the Information Disclosure Statement. Accordingly, copies of the references are enclosed herewith as part of Supplemental Information Disclosure Statement.

The specification was objected to as referencing a patent application that has matured into a patent. In this regard, the applicable paragraph of the specification is amended, thereby obviating the objection.

Claims 1-20 were rejected under 35 U.S.C. § 112, second paragraphs, for being vague and indefinite. Claims 1, 5 and 7 have been amended to clarify the inventive subject matter, withdrawal of the rejection is respectfully requested.

In the Office Action, Claims 1, 2, 4 and 11-20 were rejected under 35 U.S.C. §102(a) over U.S. Patent No. 6,412,271 to Maker et al. The Examiner's grounds for rejection are herewith traversed, and reconsideration is respectfully requested.

Maker et al. disclose a fuel control system for a pump 28 in Figure 5 and the associated description at column 5, lines 1-40. The fuel control system has a metering valve 42 to regulate a flow of fuel to supply. A piston control chamber 25 for the pump 28 is supplied by an arrangement. In the arrangement, there is a spill valve 43 that has a servo flow chamber 46 defined by a control element 45. The servo flow chamber 46 positions the pump 28 by holding a pressure differential across the metering valve 42. Maker et al. do not regulate the spill return flow.

With respect to Claim 11, Maker et al. discloses a fuel control system that has a servo flow chamber 46 that positions the pump 28 by holding a pressure differential across the metering valve 42. Maker et al. does not regulate the spill return flow. In contrast, Claim 11 recites a fuel metering unit for controlling a variable displacement pump including first means in fluid communication with the pump for metering an output of the pump, second means in fluid communication with the first means to create a bypass flow for responding to transients, and third means in fluid communication with the second means and the pump for regulating the bypass flow so bypass flow is substantially constant by variably setting a displacement of the variable displacement pump. Maker et al. do not disclose or suggest such a structural configuration that regulates the bypass flow. Accordingly, Claim 11 and each of the claims depending therefrom distinguish over Maker et al.

With respect to Claim 17, Maker et al. discloses a fuel control system that has a servo flow chamber 46 that positions the pump 28 by holding a pressure differential across the metering valve 42. Maker et al. does not regulate the spill return flow. In contrast,

In contrast, Claim 1 recites a fuel metering unit for controlling a variable

Claim 17 recites a method for maintaining a constant spill return flow in a fuel metering unit that provides fuel to an engine. The method includes the steps of metering an output of a variable displacement pump, creating a spill return flow from the output of the variable displacement pump to allow for quick response when additional fuel is required by the engine, regulating the output of the pump with a regulator based upon the spill return flow, regulating an output of the first regulator with a control valve to maintain the spill return flow substantially constant and adjusting a displacement of the pump based upon an output of the control valve. Maker et al. do not disclose or suggest such a step of regulating the output of the first regulator with a control valve to maintain the spill return flow substantially constant. Accordingly, Claim 17 and each of the claims depending therefrom distinguish over Maker et al. In view of the above, withdrawal of the rejection under 35 U.S.C. §102(a) over Maker et al. is respectfully requested.

In the Office Action, Claims 1, 2 and 17-20 were rejected under 35 U.S.C. §102(a) over U.S. Patent No. 5,715,674 to Reuter et al. The Examiner's grounds for rejection are herewith traversed, and reconsideration is respectfully requested.

Reuter et al. disclose a control system 100 for a pump 104. The control system 100 has a metering valve 136 that is regulated by a pump control valve 208. The pump control valve 208 of Reuter et al. regulates the metering valve but it does not regulate the spill return flow which is allowed to vary.

In contrast, Claim 1 recites, *inter alia*, a fuel metering unit including a control valve for regulating the spill return flow to a substantially constant small level. Consequently, the spill return flow is regulated. Reuter et al. do not disclose or suggest such a structural configuration. Accordingly, Claim 1 and each of the claims depending therefrom distinguish the subject invention from Reuter et al.

Turning to Claim 17, a method recites, *inter alia*, regulating an output of the first regulator with a control valve to maintain the spill return flow substantially constant and adjusting a displacement of the pump based upon an output of the control valve. Reuter et al. do not disclose or suggest such a step of regulating the output of the first regulator with a control valve to maintain the spill return flow substantially constant. Accordingly, Claim 17 and each of the claims depending therefrom distinguish over Reuter et al. In view of the above, withdrawal of the rejection under 35 U.S.C. §102(a) over Reuter et al. is respectfully requested.

In the Office Action, Claim 3 was rejected under 35 U.S.C. § 103 (a) over Maker et al. in view of Reuter et al.

It is respectfully submitted that Maker et al. and Reuter et al. in combination do not overcome the deficiencies as noted above with respect to Claim 1. In particular, neither Maker et al. nor Reuter et al. disclose or suggest, either alone or in combination, in whole or in part, a fuel metering unit including, *inter alia*, a control valve for regulating the spill return flow to a substantially constant small level as recited in Claim 1. Accordingly, Claim 3, by virtue of its dependency from Claim 1, is not rendered obvious by the combination of references cited by the Examiner for at least this reason and withdrawal of the rejection under 35 U.S.C. §103 (a) is respectfully requested.

Any additional fees or overpayments due as a result of filing the present paper may be applied to Deposit Account No. 04-1105. It is respectfully submitted that all of the claims in this application, namely Claims 1-20, are in condition for allowance, and such action is earnestly solicited.

If after reviewing this amendment, the Examiner believes that a telephone interview would facilitate the resolution of any remaining matters the undersigned attorney may be contacted at the number set forth herein below.

Respectfully submitted,

Date: November 30, 2004

A handwritten signature in black ink, reading "George Chaclas", is written over a horizontal line.

George N. Chaclas, Reg. No. 46,608
Edwards & Angell LLP
Attorney for Applicants
P.O. Box 55874
Boston, MA 02205
Tel: (401) 276-6653
Fax: (888) 325-1684
Email: gchaclas@edwardsangell.com